Click to prove you're human

The Breville Barista Express is a popular choice among coffee enthusiasts who are looking to enjoy barista-quality coffee from the comfort of their own home. With its built-in grinder, steam wand, and numerous customizable settings, this espresso machine offers a great deal of control over the brewing process. When it comes to using the Barista Express, one common question that often arises is, “What size tamper should I use?” **What size tamper for Breville Barista Express?** When using the Breville Barista Express, the recommended tamper size is 53mm. This size perfectly fits the portafilter provided with the machine, ensuring an even and consistent tamp for optimal extraction. 1. Can I use a different size tamper? While it’s possible to use a slightly larger or smaller tamper, it is not recommended. Using a tamper that is too small may result in uneven extraction, while using a tamper that is too large might cause difficulties fitting it into the portafilter. 2. Does the tamper affect the quality of the espresso? Yes, the tamper plays a crucial role in the brewing process. It helps to create a level and compact coffee puck inside the portafilter, promoting even water distribution and ensuring a balanced extraction. 3. Is the tamper included with the Breville Barista Express? Yes, Breville provides a tamper with the Barista Express machine. It fits perfectly with the machine’s portafilter, allowing users to achieve consistent tamping. 4. Can I purchase a tamper separately? Absolutely! If you prefer to upgrade or replace the tamper that comes with the Barista Express, you can find a variety of compatible tampers online or at specialty coffee stores. 5. Should I apply a certain amount of pressure when tamping? It is generally recommended to apply approximately 30 pounds of pressure when tamping the coffee grounds. However, consistency is key, so whether you prefer to tamp with lighter or heavier pressure, the important thing is to maintain the same level of pressure each time for consistent results. 6. Is it necessary to polish the top of the puck after tamping? While some baristas like to give the coffee puck a gentle polish after tamping, it is not necessary when using the Breville Barista Express. The machine’s design and brewing process accommodate a consistent extraction without the need for additional polishing. 7. How do I know if I am tamping correctly? A good indication of proper tamping is a smooth, even surface on top of the coffee puck. If the surface is uneven or the coffee is visibly loose, it might be an indication that the tamping pressure or distribution was not consistent. 8. Can tamping affect the flavor of the espresso? Yes, tamping can impact the flavor of your espresso. Inconsistent tamping or improper distribution of coffee grounds can result in under-extraction or over-extraction, leading to imbalances in taste. 9. Should I rotate the tamper while tamping? Rotating the tamper while tamping is not necessary with the Breville Barista Express. A simple downward pressure is sufficient to achieve a proper tamp. 10. Can using a tamper of the wrong size damage the machine? Using a tamper of the wrong size is unlikely to cause damage to the machine. However, it may affect the quality of the espresso produced. 11. Is it necessary to clean the tamper after each use? It’s a good practice to clean the tamper after each use to remove any coffee residue that might accumulate. This ensures consistent tamping and helps maintain the overall cleanliness of the brewing process. 12. Can I use a tamper from a different brand with the Breville Barista Express? Yes, as long as the tamper is the correct size (53mm), you can use a tamper from a different brand with the Breville Barista Express. Be sure to choose a tamper of high-quality to ensure durability and consistent tamping. Category: Buying Guides Posted: 29/10/2010 17:11 Comments: 0 [Post] Synopsis: Find the right tamper size for your espresso machine. Tamping coffee grounds in the filter baskets has a great effect on extraction time. Espresso Machine tamper size chart guide The base size is always measured in millimeters. Common Tamper Diameters range in any size from 48-58mm. You can order from: Here are some common espresso machine tamper sizes to use as a guide: Disclaimer: Always check the user manual to make sure you are ordering the right size. Manufacturers often change porta filter sizes and this list might not be current. Commercial Espresso Machines   Astoria - 58mm Astra - 56mm Aurora - 56mm Azykoyen - 58mm Bezzera - 58mm Brasilia - 58mm Bunn - 58mm Caramali - 58mm Cimbali - 58mm Conti - 58mm ECM - 58mm Elektra - 58mm Expobar - 58mm Faema - 58mm Fiorenzato - 58mm Futurmat - 58mm Gaggia - 58mm Grimac - 58mm Isomac - 58mm Ia Marzocco - 57mm Ia Pavoni - 56mm Ia Scala - 58mm LaSpaziale - 53mm Nuova Simonelli - 58mm Pasquini - 58mm Rancilio - 58mm Reneka - 56mm San Marco - 55mm Synesso - 58mm Unic - 56mm VFA - 58mm Wega - 58mm Home Espresso Machine Ascaso - 57mm Bodum Granos - 51mm Breville 800 Series - 51mm Breville BES900XL - 58mm Cuisinart - 51mmDelonghi (old) - 49mm Delonghi Bar - 51mm ECM Giotto/Cellini - 58mm ECM Botticelli - 58mm Estro - 53mm Faema Family - 53mm Francis!Francis! x1 (old) - 52mm or 53mm Francis!Francis! x1 (new) - 56mm Gaggia - 58mm Innova - 57mm Krups - 49mm Krups newer models - 53mm (measure) Ia Pavoni Iever (older pre 2000) - 49mm Ia Pavoni Iever (Millenium new Iever) - 51mm Ia Pavoni Pisa, Lusso - 53mm la Pavoni Duet, Club, Napolitana - 57mm LaSpaziale - 53mm Mokita - 55mm Olympia Express - 49mm Pasquini Livia - 58mm Quickmill - 58mm Rancillio - 58 mm Riviera - 43mm Saeco - 53mm Starbuck's (Barista) - 53mm Solis - 53mm Start the conversation by being the first to comment! Copyright (1996) 1999-2025 Espresso Planet. All Rights Reserved. Certain names, logos, designs, titles, words or phrases constitute trademarks, service marks or trade names of Espresso Planet, SupraMatic Inc., Schaerer Ltd., Thermoplan Ltd., Breville, Delonghi, Jura, Solis, Saeco, Krups, Capresso, Gaggia, Rancillio, Rocket, Nespresso, Illy, Lavazza Sales - Wholesale - Service and Repair of Espresso Machines and Coffee Makers in Canada - USA - Toronto - Mississauga - Ontario - Victoria - Vancouver - Calgary - Edmonton - Saskatoon - Regina - Winnipeg - Thunder Bay - Sudbury - Windsor - London - Kitchener - Barrie - Oakville - Kingston - Ottawa - Montreal - Quebec - Fredericton - Moncton - Halifax - St. John's - British Columbia - Alberta - Saskatchewan - Manitoba - Quebec - New Brunswick - Nova Scotia - Newfoundland Scroll Down To Load More The only task of a portafilter is to hold the coffee ground while making espresso. It is an essential tool, but measuring a portafilter’s size may sound silly. But knowing the size of a portafilter is crucial for many reasons. Users who know its importance would like to learn – how to measure a portafilter’s size. A digital caliper can measure a portafilter’s diameter more accurately. You can also use a steel measuring tape as an alternative, though it will take a while. The simplest way is to find the exact model number of a portafilter so that you can quickly check its diameter from its manufacturer’s website. In this post, we will share all these three different methods of measuring a portafilter’s size. Machines Bran NameTamper Size ChartAscaso57mmAstoria58mmAstra56mmAurora56mmAzkoyen58 mmAzykoyen58mmBezzera58mmBodum Granos51mmBrasilia58mmBreville 800 Series51 mmBreville Express and Infuser53 mmBunn58mmCaramali58mmCimbali57mm or 58mmCimbali Casa57 mm or 58 mm Cimbali JuniorDT158 mmConti58mmCuisinart51 mmDalla Corte53.2mmDelonghi (new models)51 mmDelonghi (old models)49 mmDelonghi (old)49mmDelonghi BAR32, BAR42, BCO264b51mmECM58mmECM Botticelli58mmECM Cellini58 mmECM Commercial Models58 mmECM Giotto58 mmECM Giotto/Cellini58mmElektra58mmElektra (Home and Commercial Models)58 mmEspressione Cafe Retro58 mmEspressione Caffe Novecento53 mmEstro53mmExpobar58mmFaema58mmFaema Family53mmFiorenzato58mmFrancis! Francis! x1 (old)52mm or 53mmFrancis! Franis! x1 (new)56mmFrancis!Francis New Version56 mmFrancis!Francis Old Version57 mmFuturmat58mmGaggia58mmGaggia Classic58 mmGaggia Factory Lever51 mmGaggia Semi-Auto58 mmGrimac58mmInnova57mmIsomac58mmKitchenaid Proline58 mmKrups49mmLa Marzocco58.3mmLa Pavoni56mmLa Pavoni Duet, Club, Napolitana57mmLa Pavoni Europiccola49mmLa Pavoni lever51 mmLa Pavoni Lever (Millenium New Lever)51mmLa Pavoni Lever (older Pre 2000)49mmLa Pavoni Lusso53 mmLa Pavoni Pisa, Si53mmLa Pavoni Napolitana57 mmLa Riviera45 mmLa Scala58mmLa Spaziale commercial models53 mmLa Spaziale home models52 mmLa Valentina58 mmMokita55mmMypressi Twist53 mmNew Breville Models58 mmNuova Simonelli58mm / 58.34mmNuova Simonelli (Appia, Grinta, and Oscar)58 mmOlympia Club49 mmOlympia Cremina49 mmOlympia Express49mmPasquini57mmPasquini Livia58mmPasquini Livietta58 mmPullman58.5mmQuick Mill58 mmQuickmill58mmRancilio Silvia58 mmRancillio58mmReneka56mmRiviera43mmSAB58mmSaeco53 mmSan Marco54.4mmSlayer58.3mmSolis53mm or 52mmSpaziale53mmStarbucks Barista52 mmSunbeam – standard (cafe series is 58mm)51mmSynesso58.5mmUnic57.3mmVFA58mmVST58.34mmWega58mm The size of a portafilter is important for trying different types of espresso. Each espresso recipe requires a precise amount of coffee grounds. Knowing the size of your portafilter will give you a quick assumption about the amount of coffee ground in it. For instance, ask an experienced barista – how much coffee for a 54mm portafilter? They will answer 18 grams without thinking much. Similarly, you can measure the coffee ground’s amount fast if you know a portafilter’s size. This technique is excellent for professionals since it saves time and effort. The best thing is you don’t have to measure ground coffee separately each time. Read: Our Recommended Espresso Machine Portafilters You can apply these three following techniques to know a portafilter’s size. A digital caliper has options to measure both the inner and outer diameters of an object. You will need to use the inner measurement scale to measure a portafilter’s size. Put the caliper’s inner jaws into a portafilter and extend them until they touch its rim. Now, look at the display to know how wide the diameter is. Read: Bottomless Portafilter vs Regular – Differences Are you good at using steel measuring tapes? It is a plus point since you will not need a caliper. But, you have to do a simple calculation to find a portafilter’s diameter in millimeters. Take a steel measuring tape and place it on a portafilter’s rim in the crosswise position. You should find its diameter in centimeters. Now it is time to convert the measurement into millimeters. For example, if the diameter is 5.8 cm, multiply it by 10. The result will be 58, which means it is a 58mm portafilter. Read: Why is Bottomless Portafilter Spraying – How to Fix Portafilters from renowned brands have model numbers. If you know the number, you can find a portafilter’s size without any measurement. This is the simplest way of measuring a portafilter’s size. For Example, Breville SP0027237 is a portafilter manufactured by Breville. If you go to this brand’s website and search the number, you will find that it is a 54mm portafilter. In general, manufacturers’ websites also mention the coffee ground holding capacity of portafilters and the model of espresso machines they are compatible with. Read: The Force Tamper Alternative FAQs on Portafilter Size: What size of the portafilter is standard? The standard size of a portafilter varies depending on whether it is for domestic or commercial use. Due to the enormous popularity of Breville, 54mm has been a common size of portafilters for home coffee brewing. In contrast, 58mm is considered the standard size of commercial portafilters. Can you use a 53mm tamper for a 54mm portafilter? Sure, you can. A 53mm flat tamper is ideal for a 54mm portafilter to tamp and level coffee grounds. Does a 58mm portafilter works better than a 54mm? The size of a portafilter has nothing to do with the extraction quality. But a larger portafilter holds a bigger basket, which means you can extract more espresso. Do all portafilters fit any espresso machines? No. The diameter of a portafilter and an espresso machine’s shower head must be the same to work together. Otherwise, you cannot use them. What does a full-size portafilter mean? A 58mm portafilter is often called a full-size portafilter since it is larger and makes thicker coffee pucks. Do all portafilters have the same size? No. Portafilters have several variations in their size. The smallest diameter of a portafilter is 49mm. On the other hand, 58mm portafilters are considered the biggest. Some portafilters are even available with 61mm diameter; however, they are rarely used. Final Words This article has revealed the reasons why some baristas measure their portafilters. Besides, we have mentioned three methods of measuring a portafilter’s size. They will help you find the accurate diameter of your portafilter and let you know how much ground it contains. If you want to save precious time while making espresso, try one of them today. As you already know, the component of an espresso machine that houses the coffee grounds and connects to the group head is known as the portafilter. Breville espresso machines are renowned for their exceptional performance and adaptability, however, it’s important to note that Breville portafilters are not the same size. Depending on the model, Breville offers two main portafilter sizes: 54mm and 58mm. The 58mm portafilter size is usually included with Breville’s higher-end espresso machines. like the Breville Oracle for example. However, Breville also offers machines with a 54mm portafilter size, which is a relatively common size for a home espresso machine, but it’s better than the majority of home espresso machines that include a 51mm portafilter. It’s important to know which size your machine uses so you can purchase the right accessories and replacement parts. Understanding the portafilter size of your Breville espresso machine is crucial to ensuring that you get the best possible results from your coffee. The size of the portafilter affects the amount of coffee that can be brewed at once, as well as the overall flavor and strength of the espresso. But it’s most important when you want to upgrade your portafilter and get a new one, or if you want to buy a tamper or any other portafilter accessories. Here’s a chart of Breville espresso machine portafilter sizes. All Breville portafilters are designed to hold between 18g to 22g, which is a key part of making specialty third wave coffee. No, the size of your Breville Espresso machine portafilter depends on the model of your espresso machine. While many Breville Espresso machines share the same size portafilter, there’s a chance what you are looking for doesn’t match. Please refer to the chart above to machine the Breville Espresso machine to the correct portafilter size. Breville is a well-known brand in the espresso machine industry, offering a range of high-quality machines for home use. One of the key components of any espresso machine is the portafilter, which is responsible for holding and distributing the coffee grounds during the brewing process. Breville offers professional style portafilters with their espresso machines, including single-wall and dual-wall baskets, as well as single or double dose filters. The included portafilter accessories gives you room to grow in terms of how you can make your espresso shot. Breville offers several different sizes of portafilters to accommodate different machine models and brewing needs. The most common size is the 54mm portafilter, which is used in machines such as the Breville Barista Express and the Breville Infuser. For larger machines, such as the Breville Dual Boiler, a 58mm portafilter is used. Breville uses high-quality materials for their portafilters to ensure durability and longevity. Most Breville portafilters are made from stainless steel, which is resistant to rust and corrosion and can withstand high temperatures without warping or bending. The handles are made of plastic, and that’s so it doesn’t become heavy to work with. But if you ever want something nicer, you can always buy a portafilter from any brand, as long as you get the correct size. Compared to other brands in the industry, Breville’s portafilters are known for their professional-grade quality and performance. They are designed to fit seamlessly with Breville’s espresso machines and are engineered to produce consistent, high-quality shots of espresso every time. For the majority of espresso machines for home, the default size for a portafilter is 51mm, which barely holds 12g of coffee ground. As opposed to Breville’s either 54mm which holds 18g or 58mm portafilter which holds 22g, which will in turn affect the taste of your espresso shot. If you’re looking to upgrade your espresso experience, one of the best places to start is with the portafilter. Upgrading your portafilter can improve the quality of your espresso shots and give you more control over the brewing process. Here’s what you need to know when upgrading your Breville espresso machine portafilter… No, your portafilter can be from any brand that sells espresso machine accessories. You just need to buy the correct size and design for your machine. Which I will tell you about in details below. The first thing to look at when upgrading your Breville espresso machine portafilter is the size. If you refer to the chart above, find the name of your machine and the portafilter size accordingly. If you get the wrong size, it won’t fit in your espresso machine machine. Breville machines use a three-ear or three pronged portafilter design. Some portafilters only have two. That’s an important factor, getting a two-ear portafilter won’t work on any Breville machine. The next thing to consider is whether you want a bottomless or spouted portafilter. A bottomless portafilter, also known as a naked portafilter, does not have a spout, which allows you to see the espresso as it’s being extracted. This can help you diagnose issues with your shot and improve your technique. A spouted portafilter has a built-in mechanism that creates pressure, which can make it easier to get a good shot even if your grind size or tamping technique is not perfect. However, some coffee enthusiasts argue that spouted portafilters sacrifice flavor for convenience. Ultimately, the choice between a bottomless or spouted portafilter comes down to personal preference and skill level. If you’re just starting out with espresso brewing, a pressurized spouted portafilter is a good option to help you get consistent results. If you’re more experienced and want to improve your technique, a bottomless portafilter is a better choice. Breville MachinePortafilter SizeTamper SizeBambino/Bambino Plus54mm54mmBarista Pro54mm54mmBarista Express54mm54mmOracle/Oracle Touch 58mm58mm When choosing a tamper for your Breville portafilter, it’s important to select one that fits properly. You really don’t have to do any measuring here. It’s as simple as picking a tamper of the same size as your portafilter. If you use a 54mm portafilter, get a tamper that is sized for 54mm. Same goes for 58mm portafilter. Never buy a tamper that is smaller than your portafilter size, it simply won’t work. It has to be the exact same size. Sometimes, the listing will say, for example: Tamper size 53mm fit for 54mm portafilter. So that should guide you to the correct size. When it comes to the material of your espresso tamper, it’s important to choose one that is durable and heavy. Avoid tampers made of plastic and opt for one made with heavy material such as stainless steel. This will ensure that your tamper can withstand the pressure needed to create a proper espresso shot. Additionally, the weight of your tamper is also important. To apply the right amount of pressure, your tamper should weigh around 1-2 pounds. There are also several newer tamp designs, such as the spring tampers, which have an inner coil that presses down and provides a weighted and leveled tamp without much work on your side. The material of the handle of the tamper shouldn’t make much of a difference. Get any handle design that you prefer, whether it is wooden, plastic or full stainless steel. If you own a Breville espresso machine, you’ll need to know the size of your portafilter to ensure you purchase the correct accessories. Breville portafilters come in two sizes, 54mm and 58mm. Here are some things to consider when using Breville portafilters: The filter basket is an essential component of the portafilter. It holds the coffee grounds and determines the strength and flavor of your espresso. Breville filter baskets come in different sizes and shapes, including single and double shot baskets, and dual wall pressurized baskets for pre-ground coffee. The difference between a single and double shot filter basket is the amount of coffee it can hold. For the 54mm portafilter, a single shot basket holds about 10 or 11 grams of coffee, while a double shot basket holds about 18 grams. Breville offers both single wall and dual wall filter baskets. Single wall baskets (non-pressurized) are best for experienced baristas who can control the grind size and tamping pressure. This is great for giving you full control over your extraction, but can be quite frustrating to dial in the ground size correctly. Dual wall baskets (Pressurized) are designed for beginners and those who prefer a more forgiving brew. This type of basket has a smaller exist for the coffee to come through, and doesn’t require a precise grind for making good espresso. If your machine has a 58mm portafilter, it will only include two single-wall baskets. 54mm portafilters include four baskets in total, single and double walled, single and double shots of each. Another option to consider is the type of portafilter you use. Breville offers both pressurized and non-pressured baskets, but the portafilter is spouted. A bottomless portafilter allows you to see the espresso extraction process and helps you diagnose any issues with your shot. A spouted portafilter uses a valve to regulate the flow of water and create a consistent shot, making it a good option for beginners. Bottomless portafilters are non-pressurized, so you need a consistent and precise grind to make it work. In the case you have a Breville with built-in grinder, you shouldn’t worry much about this. Cleaning your Breville portafilter is an essential part of maintaining your espresso machine. A dirty portafilter can affect the taste of your coffee and can even damage your machine. Here are a few steps to keep your portafilter clean: First, remove the portafilter from the group head. Next, remove the filter basket, and scrub each gently with a light detergent, hot water, and a soft scrub brush. Alternatively, dissolve a cleaning tablet that came with your machine in clean, hot water. Soak the metal part of the portafilter in the cleansing solution for five minutes. Rinse the portafilter and filter basket thoroughly with hot water to remove any soap residue. Dry the portafilter and filter basket with a clean towel. It’s important to clean your portafilter with water after each use to prevent any buildup of coffee oils, which can affect the taste of your coffee. If you notice any buildup on your portafilter, use a cleaning brush to gently scrub it away. Remember to also clean the group head and shower screen regularly to keep your machine in top condition. Refer to your machine’s manual for specific cleaning instructions. Great as they are, Breville’s portafilters can run into some issues. But they’re easily fixed. One of the most common issue, with many espresso machines and not just Breville, is the portafilter not locking into place. If your Breville portafilter won’t lock or turn into place, there are a few things you can try to troubleshoot the issue: Try using less coffee grounds in the portafilter. Overfilling the portafilter can cause it to get stuck and not lock into place. Make sure the portafilter is properly aligned with the group head. The notches on the portafilter should line up with the grooves on the group head. Check if there is any debris or coffee grounds stuck in the group head or portafilter. If so, clean them out with a brush or toothpick. Make sure the gasket on the group head is clean and properly seated. If the gasket is worn or damaged, it may need to be replaced. If none of these solutions work, you may need to contact Breville customer support for further assistance. When picking a portafilter, tamper, leveler, or dosing ring, it’s important to choose the right size. Unfortunately, not every espresso machine has the same measurements.The size is always listed in millimeters and you can measure it by checking the diameter of your filter basket or tamper. Usually, the diameter falls between 49 and 58.5 millimeters.You can definitely measure it yourself, but we’re happy to give you a hand! Below, you’ll find an extensive table by espresso machine brand, based on what your fellow home baristas have shared with us. This way, you’ll always choose the perfect barista tools and accessories for your machine!Still not sure about the right size? No worries, drop us a message via email or WhatsApp! 😊Ascaso Looking for the right size tamper or portafilter for your Ascaso? Check out the sizes below! ModelSizePortafilter SizeTamper SizeDosing Ring Size Dream PID58mm58mm (E61)58.5mm58.5mm Steel duo PID58mm58mm (E61)58.5mm58.5mm Baby T58mm58mm (E61)58.5mm58.5mm Steel Uno57mmSize not availableSize not availableSize not available Beem Discover the right tamper and portafilter sizes for your Beem machine in the table below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Espresso Grind Profession58mmSize not available58mm58.5mm ESPRESSO-ULTIMATE51mmSize not available51mm51mm Espresso-Perfect51mmSize not available51mm51mm Bellezza Find the correct tamper and portafilter size for your Bellezza machine here. ModelSizePortafilter SizeTamper SizeDosing Ring Size Valentina58mm58mm (E61)58.5mm58.5mm Bellona58mm58mm (E61)58.5mm58.5mm Inizio58mm58mm (E61)58.5mm58.5mm Francesca58mm58mm (E61)58.5mm58.5mm Chiara58mm58mm (E61)58.5mm58.5mm Bezzera Find the right tamper and portafilter size for your Bezzera espresso machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Magica58mm58mm (E61)58.5mm58.5mm Aria58mm58mm (E61)58.5mm58.5mm Crema58mm58mm (E61)58.5mm58.5mm Mitica58mm58mm (E61)58.5mm58.5mm Strega58mm58mm (E61)58.5mm58.5mm Galatea358mm58mm (E61)58.5mm58.5mm Duo TOP58mm58mm (E61)58.5mm58.5mm Matrix TOP58mm58mm (E61)58.5mm58.5mm Hobby58mm58mm (E61)58.5mm58.5mm BZ-1058mm58mm (Bezzera)58.5mm58.5mm BZ-0958mm58mm (Bezzera)58.5mm58.5mm Unica58mm58mm (E61)58.5mm58.5mm Giulia58mm58mm (E61)58.5mm58.5mm BZ-1358mm58mm (Bezzera)58.5mm58.5mm BZ-0758mm58mm (Bezzera)58.5mm58.5mm Breville Need the right tamper or portafilter size for your Breville? Check the sizes here. ModelSizePortafilter SizeTamper SizeDosing Ring Size Barista Express54mm54mm53.3mm53mm (Sage Solis Breville) barista max58mmSize not available58.5mm58.5mm Dual Boiler58mmSize not available58.5mm58.5mm Mini Barista58mmSize not available58.5mm58.5mm barista max +58mmSize not available58.5mm58.5mm Barista Pro54mm54mm53.3mm53mm (Sage Solis Breville) Duo-Temp54mm54mm53.3mm53.3mm Oracle58mm58mm (Sage)58.5mm58.5mm Oracle Touch58mm58mm (Sage)58.5mm58.5mm The Infuser54mm54mm53.3mm53.3mm Barista Touch58mm58mm (Sage)58.5mm58.5mm CREM ModelSizePortafilter SizeTamper SizeDosing Ring Size ONE58mm58mm (E61)58.5mm58.5mm Cimbali Looking for the right tamper or portafilter size for your Cimbali machine? Find it below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Alle machines57mmSize not availableSize not availableSize not available Create Discover the right tamper and portafilter size for your Create espresso machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Thera Classic51mmSize not available51mm51mm Thera Retro51mmSize not available51mm51mm DOMO Find the right tamper and portafilter size for your DOMO espresso machine here. ModelSizePortafilter SizeTamper SizeDosing Ring Size DO720K54mm54mm53.3mm53mm (Sage Solis Breville) De’Longhi Check out the right tamper and portafilter size for your De’Longhi machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Dedica Maestro Plus EC950M51mm51mm (La Specialista)51mm51mm Dedica EC68551mm51mm (De’Longhi Dedica)51mm51mm Dedica EC78551mm51mm (De’Longhi Dedica)51mm51mm Dedica EC68051mm51mm (De’Longhi Dedica)51mm51mm EC850.M51mm51mm (De’Longhi Dedica)51mm51mm Dedica EC88551mm51mm (De’Longhi Dedica)51mm51mm La Specialista Prestigio EC935551mm51mm (La Specialista)51mm51mm La Specialista Opera EC955551mm51mm (La Specialista)51mm51mm La Specialista Arte EC915551mm51mm (La Specialista)51mm51mm Icona Vintage51mm51mm (De’Longhi Icona)51mm51mm la specialista Maestro EC966551mm51mm (La Specialista)51mm51mm la specialista Maestro EC986551mm51mm (La Specialista)51mm51mm Stilosa EC23551mmSize not available51mm51mm Scultura51mmSize not available51mm51mm ECP33.21 BK51mm51mm (De’Longhi Icona)51mm51mm ECP.35.3151mm51mm (De’Longhi Icona)51mm51mm ECM Looking for the right tamper or portafilter size for your ECM? Find it here. ModelSizePortafilter SizeTamper SizeDosing Ring Size Casa58mm58mm (E61)58.5mm58.5mm Mechanika58mm58mm (E61)58.5mm58.5mm Elektronika58mm58mm (E61)58.5mm58.5mm Synchronika58mm58mm (E61)58.5mm58.5mm Classika58mm58mm (E61)58.5mm58.5mm Cellini58mm58mm (E61)58.5mm58.5mm Technika58mm58mm (E61)58.5mm58.5mm Puristika58mm58mm (E61)58.5mm58.5mm Giotto58mm58mm (E61)58.5mm58.5mm Expobar Need the right tamper and portafilter size for your Expobar? Find it below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Alle machines58mm58mm (E61)58.5mm58.5mm Faema Discover the correct tamper and portafilter size for your Faema machine here. ModelSizePortafilter SizeTamper SizeDosing Ring Size E61 (uit 1965)58mmSize not available58mm58mm Alle overige machines58mm58mm (E61)58.5mm58.5mm Flair Find the correct tamper and portafilter size for your Flair espresso machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size 58+58mm58mm (E61)58.5mm58.5mm 5858mm58mm (E61)58.5mm58.5mm Gaggia Check out the right tamper and portafilter size for your Gaggia machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Classic58mm58mm (Gaggia)58.5mm58.5mm Classic Evo58mm58mm (Gaggia)58.5mm58.5mm Classic Pro58mm58mm (Gaggia)58.5mm58.5mm New Classic58mm58mm (Gaggia)58.5mm58.5mm Baby58mm58mm (Gaggia)58.5mm58.5mm Gastroback Find the correct tamper and portafilter size for your Gastroback machine here. ModelSizePortafilter SizeTamper SizeDosing Ring Size Advanced Duo54mm54mm53.3mm53.3mm (Espresso) Barista Pro58mmSize not available58mm58.5mm Barista Touch54mm54mm53.3mm53.3mm Avanced Barista51mm51mm (De’Longhi Dedica)51mm51mm Espresso piccolo 4271651mm51mm (De’Longhi Dedica)51mm51mm Espresso Pro51mm51mm (De’Longhi Dedica)51mm51mm Espresso Plus51mm51mm (De’Longhi Dedica)51mm51mm Advanced Pro54mm54mm53.3mm53.3mm Advanced Pro GS54mm54mm53.3mm53.3mm Advanced Plus54mm54mm53.3mm53.3mm Advanced – Barista Edition54mm54mm53.3mm53.3mm Gastroback ModelSizePortafilter SizeTamper SizeDosing Ring Size Espresso piccolo 42721nannannannan Graef Discover the right tamper and portafilter size for your Graef espresso machine. ModelSizePortafilter SizeTamper SizeDosing Ring Size Alle machines58mmSize not available58.5mm58.5mm Milegra51mm51mm (De’Longhi Dedica)51mm51mm Isomac Find the correct tamper or portafilter size for your Isomac machine here. ModelSizePortafilter SizeTamper SizeDosing Ring Size Giada53mmSize not available53.3mm53.3mm Maverick57mmSize not availableSize not availableSize not available Venus53mmSize not available53.3mm53.3mm Brio53mmSize not available53.3mm53.3mm Cappuccina53mmSize not available53.3mm53.3mm Diamantina53mmSize not available53.3mm53.3mm Super Giada53mmSize not available53.3mm53.3mm Spendida53mmSize not available53.3mm53.3mm Tea58mm58mm (E61)58.5mm58.5mm Zaffiro58mm58mm (E61)58.5mm58.5mm PRO58mm58mm (E61)58.5mm58.5mm Millenium58mm58mm (E61)58.5mm58.5mm Mondiale58mm58mm (E61)58.5mm58.5mm Itala58mm58mm (E61)58.5mm58.5mm Rutiuale58mm58mm (E61)58.5mm58.5mm Relax58mm58mm (E61)58.5mm58.5mm Amica58mm58mm (E61)58.5mm58.5mm Kitchenaid ModelSizePortafilter SizeTamper SizeDosing Ring Size ARTISAN 5KES650358mmSize not available58.5mm58.5mm Krups Check out the right tamper and portafilter size for your Krups machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Epresso XP344051mm51mm (De’Longhi Dedica)51mm51mm La Marzocco Looking for the right tamper and portafilter size for your La Marzocco? Find it below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Linea Mini58mm58mm (E61)58.5mm58.5mm Linea Micra58mm58mm (E61)58.5mm58.5mm GS358mm58mm (E61)58.5mm58.5mm Linea Classic58mm58mm (E61)58.5mm58.5mm La Pavoni Check out the correct tamper and portafilter size for your La Pavoni machine here. ModelSizePortafilter SizeTamper SizeDosing Ring Size Lever (before 2000)49mmSize not availableSize not availableSize not available Cellini58mm58mm (E61)58.5mm58.5mm Luso54mmSize not available53.3mm53.3mm Stradivari (after 2000)54mmSize not available53.3mm53.3mm Pisa54mmSize not available53.3mm53.3mm Si54mmSize not available53.3mm53.3mm Lever (Millenium New Lever)51mmSize not available51mm51mm Professional51mmSize not available51mm51mm Duet57mmSize not availableSize not availableSize not available Club57mmSize not availableSize not availableSize not available Napolitana57mmSize not availableSize not availableSize not available Europiccola49mmSize not availableSize not availableSize not available Pub58mmSize not available58.5mm58.5mm Le San Marco ModelSizePortafilter SizeTamper SizeDosing Ring Size Alle machines54mm?53.3mm53.3mm Lelit Discover the right tamper and portafilter size for your Lelit espresso machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Bianca58mm58mm (E61)58.5mm58.5mm Mara X58mm58mm (E61)58.5mm58.5mm Vctoria58mm58mm (E61)58.5mm58.5mm Anita57mmSize not availableSize not availableSize not available Anna57mmSize not availableSize not availableSize not available Elizabeth58mm58mm (E61)58.5mm58.5mm Giulietta58mm58mm (E61)58.5mm58.5mm Kate58mm58mm (E61)58.5mm58.5mm Grace57mmSize not availableSize not availableSize not available Gilda57mmSize not availableSize not availableSize not available PL41 plus Glenda57mmSize not availableSize not availableSize not available Moccatronic ModelSizePortafilter SizeTamper SizeDosing Ring Size nan58mm58mm (E61)58.5mm58.5mm Praktika ModelSizePortafilter SizeTamper SizeDosing Ring Size ACMPTKA00158mm58mm (E61)58.5mm58.5mm Profitec Looking for the right tamper or portafilter size for your Profitec? Check below. ModelSizePortafilter SizeTamper SizeDosing Ring Size GO58mmSize not available58.5mm58.5mm Pro 50058mm58mm (E61)58.5mm58.5mm Pro 70058mm58mm (E61)58.5mm58.5mm Pro 30058mm58mm (E61)58.5mm58.5mm Pro 81058mm58mm (E61)58.5mm58.5mm Quick Mill Find the right tamper and portafilter size for your Quick Mill here. ModelSizePortafilter SizeTamper SizeDosing Ring Size 82058mmSize not available58mm58mm 83558mmSize not available58mm58mm 22058mmSize not available58mm58mm 23558mmSize not available58mm58mm 300058mmSize not available58mm58mm 300258mmSize not available58mm58mm 300458mmSize not available58mm58mm 303558mmSize not available58mm58mm 324558mmSize not available58mm58mm Evo7058mmSize not available58mm58mm Achille58mm58mm (E61)58.5mm58.5mm Alexia58mm58mm (E61)58.5mm58.5mm Adreja58mm58mm (E61)58.5mm58.5mm Emilia58mm58mm (E61)58.5mm58.5mm Essence58mm58mm (E61)58.5mm58.5mm Naz58mm58mm (E61)58.5mm58.5mm Orion58mm58mm (E61)58.5mm58.5mm Rubino58mm58mm (E61)58.5mm58.5mm Anita58mm58mm (E61)58.5mm58.5mm Aquila58mm58mm (E61)58.5mm58.5mm Carola58mm58mm (E61)58.5mm58.5mm La Certa58mm58mm (E61)58.5mm58.5mm Milano58mm58mm (E61)58.5mm58.5mm Pippa58mm58mm (E61)58.5mm58.5mm Rapida58mm58mm (E61)58.5mm58.5mm Silvano58mm58mm (E61)58.5mm58.5mm Vetrano58mm58mm (E61)58.5mm58.5mm QM 76 099258mm58mm (E61)58.5mm58.5mm Rancilio Check out the right tamper and portafilter size for your Rancilio espresso machine. ModelSizePortafilter SizeTamper SizeDosing Ring Size V158mm58mm (E61)58.5mm58.5mm V258mm58mm (E61)58.5mm58.5mm V358mm58mm (E61)58.5mm58.5mm V458mm58mm (E61)58.5mm58.5mm V558mmSize not available58.5mm58.5mm V658mmSize not available58.5mm58.5mm Rocket Find the right tamper and portafilter size for your Rocket machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Giotto58mm58mm (E61)58.5mm58.5mm Mozzafiato58mm58mm (E61)58.5mm58.5mm Appartamento58mm58mm (E61)58.5mm58.5mm Porta Via58mm58mm (E61)58.5mm58.5mm Grigia58mm58mm (E61)58.5mm58.5mm R60V58mm58mm (E61)58.5mm58.5mm R NINE ONE58mm58mm (E61)58.5mm58.5mm Epica58mm58mm (E61)58.5mm58.5mm R5858mm58mm (E61)58.5mm58.5mm SMEG Discover the correct tamper and portafilter size for your SMEG espresso machine. ModelSizePortafilter SizeTamper SizeDosing Ring Size ECF01CREU51mmSize not available51mm51mm ECF0251mm51mm (De’Longhi Dedica)51mm51mm ECF0151mm51mm (De’Longhi Dedica)51mm51mm Saeco ModelSizePortafilter SizeTamper SizeDosing Ring Size Poemia54mmSize not available53.3mm53.3mm SE5058mmSize not available58.5mm53mm (Sage Solis Breville) Sage Find the right tamper and portafilter size for your Sage espresso machine here. ModelSizePortafilter SizeTamper SizeDosing Ring Size Bambino Plus (SES500)54mm54mm53.3mm53.3mm Bambino54mm54mm53.3mm53.3mm Barista Express (SES875)54mm54mm53.3mm53mm (Sage Solis Breville) Barista Pro (SES878)54mm54mm53.3mm53mm (Sage Solis Breville) Barista Touch (SES880)54mm54mm53.3mm53mm (Sage Solis Breville) Dual Boiler (SES920)58mm58mm (Sage)58.5mm58.5mm Duo-Temp Pro (SES810)54mm54mm53.3mm53.3mm Oracle Touch (SES990)58mm58mm (Sage)58.5mm58.5mm The Oracle (SES980)58mm58mm (Sage)58mm58mm The Barista Impress54mm54mm53.3mmSize not available Barista Touch Impress54mm54mm53.3mmSize not available Severin ModelSizePortafilter SizeTamper SizeDosing Ring Size KA599451mmSize not available51mm51mm KA599554mmSize not available53.3mm53.3mm Solis Check out the correct tamper and portafilter size for your Solis machine below. ModelSizePortafilter SizeTamper SizeDosing Ring Size Barista Perfetta Plus 117054mm54mm53.3mm53.3mm Grind & Infuse Perfetta 101954mm54mm53.3mm53.3mm Barista Pro 11454mm54mm53.3mm53.3mm Cafespresso 11754mm54mm53.3mm53.3mm Gran Gusto 101458mm58mm (E61)58.5mm58.5mm Grind & Infuse Compact 101851mmSize not available51mm51mm Grind & Infuse Pro 11554mm54mm53.3mm53.3mm Master 11351mmSize not available51mm51mm Perfect Pro 11854mm54mm53.3mm53.3mm Personal Barista58mmSize not available58.5mm58.5mm Priaroma 101051mmSize not available51mm51mm Solis 11051mmSize not available51mm51mm Triple heat 101158mm58mm (Sage)58.5mm58.5mm Vibiemme (VBM) Check out the right tamper and portafilter size for your Vibiemme espresso machine. ModelSizePortafilter SizeTamper SizeDosing Ring Size Domobar58mm58mm (E61)58.5mm58.5mm Junior58mm58mm (E61)58.5mm58.5mm WMF Find the correct tamper and portafilter size for your WMF espresso machine here. ModelSizePortafilter SizeTamper SizeDosing Ring Size Lumero51mmSize not available51mm51mm la Pavoni ModelSizePortafilter SizeTamper SizeDosing Ring Size Guru58mm58mm (E61)58.5mm58.5mm Stainless steel, wood (walnut) Article 1 AboutWelcome to Barista-Essentials. We have drawn up these terms and conditions so that you know exactly who you are ordering from and what your and also our rights and obligations are in doing so.Barista-Essentials is a Private Company (Besloten Vennootschap (B.V.)) and is located at Hooghiemstraplein 132, 3514 AZ in Utrecht. You are welcome here by appointment.The address of our website is: www.Barista-Essentials.comYou can reach Barista-Essentials in the following ways:E-mail : info@barista-essentials.com Telephone : +31-(0)30-3690738 Facebook : Instagram : Via the contact form on our website.Chamber of Commerce number : 92445861VAT number : NL866048455B01Article 2 DefinitionsA number of terms appear more frequently in these general terms and conditions. We would like to explain these terms briefly below.With the terms we, us and our, we mean Barista-Essentials and its team, as described in article 1 of these terms and conditions and also including the third party or parties appointed and/or hired by us. We are the user and owner of these general terms and conditions.When we talk about you and your, we mean our customer. You are a consumer or a business customer. As a consumer, you are the natural person, not acting in a profession or business. The business customer is the legal entity or natural person, acting in the course of a profession or business. By you and your, we also mean a representative, appointed by you, who receives the order on your behalf and/or collects the order at a pick-up location.The user (we) and the customer (you) together are referred to as parties.A day means a calendar day, unless we explicitly refer to a working day.For us, written means by e-mail or via our contact form.By the right of withdrawal, we mean the possibility for you (exclusively for you as a consumer) to withdraw/cancel the distance contract within a period of 14 days, the so-called reflection period. A distance contract is concluded exclusively via one or more means of distance communication. In the case of a distance purchase, we are not (were) in the same room with you at the same time.An offer of Barista-Essentials includes all offers and quotations in the broadest sense of the word.All agreements made between the parties or an agreement concluded between the parties are called the agreement or contract, to which these general terms and conditions have been declared applicable.Article 3 ApplicabilityThese general terms and conditions apply inter alia:to all offers of Barista-Essentials; to all services of Barista-Essentials; to all agreements we conclude with you and; to our invoices.These general terms and conditions also apply in case of additional work or a follow-up order. Before the distance contract is concluded, we will make these terms and conditions available to you, so that you can familiarise yourself with its contents in good time.Deviation from these terms and conditions is only possible if the parties explicitly agree in writing. If the parties agree, the deviation will only apply to the agreement for which the deviation has been agreed. You cannot invoke this deviation in other (future) agreements with us.We may unilaterally amend or supplement these general terms and conditions. Without the conclusion of an agreement, you cannot derive any rights from an earlier version of the general terms and conditions.Your (general) terms and conditions do not apply to agreements you conclude with us.Our general terms and conditions also apply if (the services of) third parties are used for the execution of the agreement.If one or more provisions of these general terms and conditions are at any time partly or wholly void or annulled, the other provisions will remain fully applicable. The parties shall consult to agree on new provisions to replace the void or annulled provisions. The purpose and meaning of the original provisions will be respected as much as possible.If we do not always require strict compliance of these general terms and conditions, this shall never result in the provisions thereof not (or no longer) applying or that we would in any way lose the right to require strict compliance of the provisions of these general terms and conditions in other cases.Article 4 Our offerYou will find a large part of our range in our webshop. The offer in our webshop is always provided with all the necessary (detailed) information, so that you know exactly what you choose and pay for. More specifically this concerns:The price including taxes in euros and any other levies imposed by the government; The possible costs of delivery/shipment; The way in which the agreement will be concluded and which actions are necessary to do so; Whether or not the right of withdrawal is applicable to a product; The method of payment, delivery and performance of the agreement; The period for accepting the offer, or the period within which we guarantee the price; The way in which, before concluding the agreement, you can check the data you have provided and, if desired, rectify them.We compile the website and our webshop with the utmost care. However, this does not mean that all information is always complete and/or fully correct. If there is an obvious error or mistake in our offer, we are not bound by it.The images of our products are always indicative. We can never guarantee that the presentation in our webshop is exactly the same as the product to be delivered/delivered.Our offer is without obligation, unless we explicitly state otherwise. If (additional) conditions are attached to our offer, we will always state this explicitly in and with the offer. Without the actual conclusion of an agreement, you cannot derive any rights from any offer.Article 5 Conclusion of the agreement and duration of the agreementAn agreement is concludedas soon as you accept the offer in our webshop, whereby you accept the payment obligation and; you agree with our general terms and conditions and; if applicable, you have fulfilled any additional conditions.All agreements are entered into, under the suspensive condition(s) of (sufficient) availability of the desired products.In principle, agreements are entered into for a fixed term and therefore end by operation of law.In case of an indefinite term agreement, you always have the possibility to terminate it, subject to one month’s notice. Notice of termination must be given in writing by sending an e-mail to info@baristaessentials.nl.Article 6 Execution of the agreement, order confirmation, delivery and shipping costsWe execute the agreement according to the requirements of good craftsmanship.We are allowed to use (the services of) third parties for the execution of the agreement. Should there be extra costs as a result of using these (services of) third parties, we will inform you of this in good time and in advance.We only execute the agreement for your benefit. Third parties cannot derive any rights, under any name or title whatsoever, from (the contents of) the work performed/delivered by us.Execution and delivery deadlines are always indicative. Should it happen that we fail to meet a certain deadline, this does not entitle you to any form of compensation.If you have placed an order in our webshop, we will send you a digital confirmation of receipt as soon as possible.In the unlikely event that we are unable to process the order or only partially process it, we will inform you as soon as possible and in writing.Unless you have agreed to a longer delivery period, you will receive your order(s) no later than 30 days, provided there is sufficient stock. Of course, we always do our utmost to deliver your order as soon as possible and preferably within a few days. However, our delivery times are always indicative and never strict deadlines.All orders are handled and processed with the greatest possible care. For delivery, the address which you have made known to us will apply as the place of delivery. It is always your responsibility to provide us with the correct information.In the unlikely event that a product is no longer available, we might contact you to offer you an alternative product. You are of course not obliged to accept this alternative. If no alternative is available or if you prefer not to accept it and you have already paid for this product, we will refund the amount of the product that is no longer available to you within 10 days to the bank account number with which you made the (down)payment. If the undeliverable product is the only one in your order, we will also refund the shipping costs you paid.The risk of damage and/or loss of products lies with us until the products have been delivered to the address communicated by you in advance and/or the products have been picked up by you or a representative appointed by you at a pick-up location. You and/or the third party to whom you have had the order sent checks the order immediately.In case of an opened packaging or damage to the packaging and/or the product, you must have a note made by the shipper or delivery person before accepting the order. Should it turn out that there is a defect in/to the order, we ask you to report this to us in writing as soon as possible.We have a best-efforts obligation and a delivery obligation. Therefore, we cannot guarantee that our products will meet your expectations. After all, expectations are personal and tastes may differ. You are therefore not entitled to compensation or damages if our service/products do not meet your expectations. We use an external party for the delivery of our goods. It is our preference that all orders you place are delivered to you very quickly. However, external parties may have to deal with extreme pressure, e.g. around the holiday season. As a result, you may have to wait a little longer for your order. We therefore always advise you to order on time to avoid disappointment.You are responsible for ensuring that the actual delivery of products ordered by you can take place on time.The shipping and/or transport costs are at your expense, unless the parties have explicitly agreed otherwise.Article 7 Conformity and warrantyWe guarantee that all our products comply:to the agreement; to the specifications we stated with the product; to the reasonable requirements of soundness and/or usefulness and; to the legal provisions and/or regulations applicable and valid at the time of the conclusion of the agreement.If applicable, our warranty period corresponds to the warranty period of our (suppliers/manufacturers). You cannot hold us responsible for the ultimate suitability of products for each individual application by you as a consumer. Nor can you hold us responsible for any advice regarding the use of products or their application.The guarantee lapses the moment that:You have altered and/or modified the products or had this done by third parties; You have exposed our products to abnormal conditions; You have not or not correctly followed our instructions and/or regulations and/or those of our manufacturer/supplier; There is normal wear and tear on the product and/or a part thereof.In addition to the warranty given by us and/or that of our suppliers, your legal rights and claims under our agreement remain.Article 8 Right of withdrawalIf you (applicable to consumers only!) have placed an order in our web shop, you have the possibility, upon delivery of products, to dissolve the agreement without giving reasons within 30 days. This cooling-off period commences on the day after you or the representative previously notified to us have received the products. If you have ordered several products and these consist of different deliveries, the cooling-off period commences on the day on which you received the last product.If we have sealed the packaging in the broadest sense of the word, the right of withdrawal expires as soon as this seal is broken.For products that are not sealed and/or for which the right of withdrawal is not excluded, we expect you to handle the product and its packaging with care during the cooling-off period. You shall only unpack or use the product to the extent necessary to judge whether you wish to keep the product or not.If you wish to exercise the right of withdrawal, you have to notify us within 14 calendar days of receipt via our returns portal. You are then requested to return the product within 14 calendar days of notification. For the return, please use our return labels. You are obliged to keep the proof of posting. If we do not receive the product within 14 calendar days, the right of withdrawal expires and the purchase is irrevocable.Article 9 Costs of withdrawalThe costs for the return shipment are in principle entirely for your account, unless you use our return labels for the Netherlands, Belgium or Germany. In that case, we will bear the costs of the return shipment.If you have paid shipping costs upon delivery of your order and you return the entire order, we will also refund these shipping costs. If you only return part of the order, we will not refund the shipping costs.If we have received the product(s) on time and undamaged and, if applicable still with a seal, we will refund you within 14 calendar days after revocation.The refund will be made by us using the same payment method you used at the time of purchase, unless you explicitly agree in writing to a different payment method.If the product(s) has been damaged or if you have handled it/they carelessly and/or the seal has been broken, you are responsible for any reduction in value, unless you have not received all legally required information from us about the right of withdrawal. After all, this should be done before the conclusion of the purchase agreement.Article 10 Exclusion of the right of withdrawalWe shall inform you in good time on our website and in any case before the conclusion of the agreement whether the right of withdrawal is applicable or excluded.In any case, products which we have manufactured especially for you at your request are excluded from the right of withdrawal. You are not entitled to invoke the right of withdrawal.Products personalised for you in the broadest sense of the word are also excluded from the right of withdrawal.Products that can spoil quickly are also excluded from the right of withdrawal.Article 11 Prices and paymentUnless explicitly stated otherwise, all prices are: in euros; Including VAT; Exclusive of any shipping/delivery costs; Exclusive of any other government levies; Exclusive of any costs we have to incur (extra) when executing the order.We are entitled to adjust our (unit) prices and hourly rates in the interim. Without the conclusion of an agreement, you cannot derive any rights from a previous action and/or pricing.Increases in the cost prices of Barista-Essentials’ products or parts thereof that we could not foresee while making the offer and before concluding the agreement, may give rise to price increases. You, our consumer customer, then have the right to dissolve the agreement, unless the increase is the result of a legal regulation.If we carry out work for you, the price of that work will be invoiced on the basis of the number of hours actually spent, at the hourly rate valid at that time, unless the parties have expressly agreed otherwise in writing.If we agree on a total price for carrying out work, this is always a guide price, unless the parties have explicitly agreed on a fixed price in writing. We are entitled to deviate 10% from the guide price. Should the guide price deviate by more than 10%, we will inform you in good time. You then have the right to cancel that part of the assignment that exceeds the guide price more than 10%.You will only receive our invoices digitally.Orders you place in our web shop, will be paid by you immediately. To do so, you use our online payment environment. You can choose from various payment methods.In case of payment after delivery, we apply a payment term of 14 days.We are entitled to ask you for a deposit or a guarantee. Your order will be processed upon receipt of this deposit or guarantee.If you do not pay in full or on time, we will point this out to you. You will then be given another 14 days to fulfil your payment obligation. If you still have not paid by then, you will owe us statutory interest on the outstanding amount after the expiry of those 14 days until you pay the amount. We will also charge you the extrajudicial collection costs incurred by us.These collection costs amount to a maximum of:15% over outstanding amounts up to € 2.500,00; 10% over the next € 2.500,00; 5% over the next € 5.000,00; In each case with a minimum of € 40,00.As soon as you are in default, we are entitled to invoke the right of claim in respect of the unpaid and already delivered products. If we do so, this will be done by means of a written or electronic notification. As soon as we have notified you of the invoked right of complaint, you shall return to Barista-Essentials all products to which this right relates at that moment, unless parties have explicitly agreed otherwise in writing. The costs involved will be entirely for your account.Moreover, as long as you have not paid the invoice in full, we retain full ownership (retention of title) of all goods delivered and to be delivered. Any damage and/or destruction of these goods shall be entirely at your risk and expense. As long as ownership of the products has not passed to you, you are not allowed to pledge these products to third parties or encumber them for the benefit of others. You give us your

unconditional and irrevocable permission to enter all those places where our property is located when we wish to exercise our property rights. We also have the right to take all our property in such cases.You do not have the right to set off an invoice against an (alleged) claim on Barista-Essentials.Should you disagree with the invoice amount, you have to inform us of this in writing and within 7 days of receiving the invoice. However, a complaint about the invoice does not suspend your payment obligation.Article 12 Right of retentionWe have the right to invoke our right of retention and in that case retain products from you until such time as you have paid all outstanding invoices to us, unless you have provided sufficient security for those costs.If we exercise the right of retention, we will not owe you any form of compensation should you suffer any damage as a result.Article 13 Intellectual property rightsIntellectual property rights, is a collective term for rights resting on a work. They protect the person who created the work against the use, copying or exploitation of that work by others without the creator's consent.All intellectual property rights, resulting from the agreement, belong to us and/or our licensors. This also applies to unimplemented concepts and/or proposals. All intellectual and industrial property rights relating to but not limited to the website, our products, our expressions and the content of our knowledge base belong to us and/or our licensors.For any infringement of our intellectual property rights, we are entitled to claim an immediately payable fine of €10,000 (in words: ten thousand euros), without losing the right to compensation for any other damage suffered, including direct and indirect damage, as well as the actual judicial and extrajudicial costs.Article 14 Suspension and termination of the agreementWe have the right to suspend or terminate the agreement with immediate effect if:you do not, not fully or not in a timely manner fulfil your obligations under the agreement or; due to delay on your part, we can no longer be expected to fulfil the agreement on the original terms or; circumstances occur which are of such a nature that fulfilment of the agreement is impossible.If we do so, we will in no case be obliged to compensate you for any damage or resulting costs.Article 15 Force majeureShortcomings in the fulfilment of the agreement cannot be attributed to us if they are not due to our fault, nor are they for our account by virtue of the law, the agreement or generally accepted practice (force majeure).In these general terms and conditions, force majeure means, in addition to what is understood in the Dutch law and jurisprudence, all external causes, foreseen and unforeseen, over which I cannot exercise any influence and as a result of which I am unable to fulfil my obligations in accordance with the agreement.When there is force majeure on our side, we have the option to temporarily suspend the performance of the agreement. If the force majeure on our side lasts longer than thirty (30) days, the parties have the right to dissolve the agreement. We will inform you of this in good time and in writing.However, in case of force majeure, we do not owe you any (additional) (compensation). We do retain the right to charge you for products already delivered or services already rendered.Article 16 ComplaintsShould you have a complaint, Barista-Essentials has a complaints procedure for such situations.It is your responsibility to report a complaint to us in writing within seven (7) after you have found a defect in a product or an incorrectly delivered product. We ask you to describe your complaint fully and clearly. You will receive feedback from us within fourteen (14) days after we have received your complaint.You give us at least four (4) weeks to resolve a complaint in mutual consultation with you. If after this four (4) week period the complaint has not been resolved, a dispute arises. Filing a complaint does not mean that the parties' rights and obligations lapse.If we consider your complaint to be justified, we will replace or refund the product free of charge. Whether we replace or refund the product is entirely at our discretion.Article 17 Parking costs and travel expensesWe are entitled to charge you for any parking costs and/or travel expenses we incur during the execution of the agreement, unless we explicitly agree otherwise in writing.For travel expenses, we apply the kilometre allowance as determined by the government for the period(s) to which the agreement relates, unless we make other explicit and written arrangements with you.We do not charge for travelling time.Article 18 Privacy policyYour privacy is very important to us and we handle your data with care. You can read how we do this in the privacy statement on our website.Article 19 DisputesAgreements between you and us, to which these general terms and conditions relate, are exclusively governed by Dutch law. In the event of a dispute, the parties will make every effort to reach a mutual solution. If this fails, the dispute will be submitted to the competent court within the district where we are established, unless the law provides otherwise.If there is a discrepancy between the Dutch version of these general terms and conditions and the English version, the Dutch version shall prevailVersion 1.2, April 2024. Are you still getting bitter coffee, weak espresso, or over-frothed milk when you visit your parents? In short: could your dad's espresso skills use an upgrade?Father's Day is coming up, and what better way to show your dad how much you care than with our espresso tools? No matter what type of dad he is, we have the right tools for him to unleash his inner barista.For the dad who really needs to unwind after a long day, we have the perfect espresso tools. Our heavy-duty stainless steel tamper fits firmly in the hand and provides just the right resistance for a powerful press on the ground coffee. With the robust knock box, he can satisfyingly knock out the used coffee pucks, while the sturdy tamper mat protects the work surface from intensive use. These tools are perfect for the dad who wants to release some stress and enjoy a perfectly brewed cup of coffee at the same time. For the dad who leaves nothing to chance, we have the ultimate espresso tools worthy of his precision. With the WDT tool, he can distribute the ground coffee in the finest detail and remove clumps, resulting in even extraction and an even better taste. The naked portafilter gives him an unfiltered view of his shot, allowing him to perfect every step of the process and see directly how good his technique is. Do you have a creative dad? With our stylish milk pitchers, he can bring the milk to just the right temperature and texture, perfect for creating silky microfoam for latte art. The elegant cups provide the perfect canvas for his creations. For the dad who wants to turn coffee into a work of art, these tools are indispensable. Does your dad love gadgets and tech? The digital vacuum coffee canister keeps his beans fresher for longer by storing them airtight, ensuring he can always enjoy the best flavor. The digital precision scale accurately measures each gram of coffee, which is essential for consistent and perfect extraction. For the dad who loves playing with gadgets and technology, these tools offer not only functionality but also a touch of innovation in his daily coffee routine. With our tools, your dad can keep his coffee corner clean and organized. The handy barista cloths can be used to effortlessly remove spilled coffee and milk residue, ensuring his workspace always stays clean. The dosing ring helps him measure the exact amount of coffee into the portafilter without spilling, and the brush keeps his espresso machine and grinder free from coffee residues. These tools not only make coffee brewing more efficient but also ensure everything always looks spotless.Check out all these tools in our webshop and make Father's Day extra special. Whatever tool you choose, it will definitely help your dad make a delicious espresso!*No guarantee that the kitchen won't look like a battlefield ☺